




Jinko Solar Import and Export Co., Ltd. (“ ”)
generally provides the Warranties set forth
herein to the original purchaser and its
permitted successors and assigns (“ ”)
with respect to any solar photovoltaic module
set forth herein sold by Jinko under purchase
agreements signed on



(i) 2.5 % in the first year; (ii) 0.5 % each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 83.0 % of the Nominal Power Output.

: for


, only applicable to the following mono-crystalline Module types:

- (a) JKMSxxxM-72, JKMSxxxM-72-J, JKMSxxxM-72L, JKMSxxxM-72H, JKMSxxxM-72HL, JKMSxxxM-72B, JKMSxxxM-72BL, JKMSxxxM-72HB, JKMSxxxM-72BL, JKMSxxxM-72HBL, JKMSxxxM-72-MX, JKMSxxxM-72L-MX, JKMSxxxM-72B-MX, JKMSxxxM-72BL-MX, JKMSxxxM-60, JKMSxxxM-60-J, JKMSxxxM-60L, JKMSxxxM-60H, JKMSxxxM-60HL, JKMSxxxM-60B, JKMSxxxM-60BL, JKMSxxxM-60HBL, JKMSxxxM-60-MX, JKMSxxxM-60L-MX, JKMSxxxM-60B-MX, JKMSxxxM-60BL-MX, JKMSxxxM-72-V, JKMSxxxM-72-V-J, JKMSxxxM-72L-V, JKMSxxxM-72H-V, JKMSxxxM-72HL-V, JKMSxxxM-72HB-V, JKMSxxxM-72BL-V, JKMSxxxM-72HBL-V, JKMSxxxM-72-MX-V, JKMSxxxM-72B-MX-V, JKMSxxxM-60-V, JKMSxxxM-60-V-J, JKMSxxxM-60L-V, JKMSxxxM-60H-V, JKMSxxxM-60HL-V, JKMSxxxM-60HB-V, JKMSxxxM-60BL-V, JKMSxxxM-60HBL-V, JKMSxxxM-60-MX-V, JKMSxxxM-60B-MX-V, JKMSxxxM-66H, JKMSxxxM-66HB, JKMSxxxM-66H-V, JKMSxxxM-66HB-V, JKMSxxxM-78H, JKMSxxxM-78H-V, JKMSxxxM-78H-MBB, JKMSxxxM-78H-MBB, JKMSxxxM-66H-MBB, JKMSxxxM-66H-MBB-B, JKMSxxxM-66H-MBB-B, JKMSxxxM-72H-MBB, JKMSxxxM-72H-MBB-V, JKMSxxxM-72H-MBB, JKMSxxxM-60H-MBB, JKMSxxxM-60H-MBB, JKMSxxxM-60H-MBB-B, JKMSxxxM-60H-MBB-B,

- JKMSxxxM-60H-MX3, JKMSxxxM-60HB-MX3, JKMSxxxM-72H-MX3, JKMSxxxM-66H-MX3, JKMSxxxM-66HB-MX3, JKMSxxxM-60H-TI, JKMSxxxM-60HB-TI, JKMSxxxM-72H-TI, JKMSxxxM-66H-TI, JKMSxxxM-66HB-TI, JKMSxxxM-78H-TI

(i) 2.5% in the first year; (ii) 0.6% each year thereafter until that date which is twenty-five (25) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 83.1% of the Nominal Power Output.

- (b) JKMSxxxM-6RL3, JKMSxxxM-6RL3-V, JKMSxxxM-6RL3-B, JKMSxxxM-6RL3-B-V, JKMSxxxM-7RL3, JKMSxxxM-7RL3-V, JKMSxxxM-7RL3-DACA-xxx, JKMSxxxM-7RL3-V-J, JKMSxxxM-7RL3-J, JKMSxxxM-6TL4, JKMSxxxM-6TL4-V, JKMSxxxM-6TL4-B, JKMSxxxM-6TL4-B-V, JKMSxxxM-7TL4, JKMSxxxM-7TL4-V, JKMSxxxM-7TL4-B, JKMSxxxM-7TL4-B-V, JKMSxxxM-60HL4, JKMSxxxM-60HL4-V, JKMSxxxM-60HL4-B, JKMSxxxM-60HL4-B-V, JKMSxxxM-72HL4, JKMSxxxM-72HL4-V, JKMSxxxM-72HL4-B, JKMSxxxM-72HL4-B-V, JKMSxxxM-6RL4, JKMSxxxM-6RL4-V, JKMSxxxM-6RL4-B, JKMSxxxM-6RL4-B-V, JKMSxxxM-7RL4, JKMSxxxM-7RL4-V, JKMSxxxM-7RL4-B, JKMSxxxM-7RL4-B-V, JKMSxxxM-66HL4, JKMSxxxM-66HL4-V, JKMSxxxM-66HL4-B, JKMSxxxM-66HL4-B-V, JKMSxxxM-78HL4, JKMSxxxM-78HL4-V, JKMSxxxM-78HL4-B, JKMSxxxM-78HL4-B-V, JKMSxxxM-6TL3, JKMSxxxM-6TL3-V, JKMSxxxM-6TL3-B, JKMSxxxM-6TL3-B-V, JKMSxxxM-7TL4-J, JKMSxxxM-7TL4-V, JKMSxxxM-72HL4-J, JKMSxxxM-72HL4-V, JKMSxxxM-7RL4-J, JKMSxxxM-7RL4-V, JKMSxxxM-7RL4-V-J, JKMSxxxM-7RL4-V-J



(i) 2.0% in the first year; (ii) 0.55% each year thereafter until that date which is twenty-five (25) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 84.8% of the Nominal Power Output.

, only applicable to the following mono-crystalline Module types:

JKMxxxN-72H, JKMxxxN-72H-V, JKMxxxN-60H, JKMxxxN-60H-V, JKMxxxN-72H-MBB, JKMxxxN-72H-MBB-V, JKMxxxN-60H-MBB, JKMxxxN-60H-MBB-V, JKMxxxN-6RL3, JKMxxxN-6RL3-V, JKMxxxN-7RL3, JKMxxxN-7RL3-V, JKMxxxN-6TL4, JKMxxxN-6TL4-V, JKMxxxN-7TL4, JKMxxxN-7TL4-V, JKMxxxN-60HL4, JKMxxxN-60HL4-V, JKMxxxN-72HL4, JKMxxxN-72HL4-V, JKMxxxN-6RL4, JKMxxxN-6RL4-V, JKMxxxN-7RL4, JKMxxxN-7RL4-V, JKMxxxN-66HL4, JKMxxxN-66HL4-V, JKMxxxN-78HL4, JKMxxxN-78HL4-V, JKMxxxN-78H-MBB-V, JKMxxxN-78H-MBB, JKMxxxN-66H-MBB-V, JKMxxxN-66H-MBB, JKMxxxN-6TL3, JKMxxxN-6TL3-V, JKMxxxN-6RL3-V-J, JKMxxxN-6RL3-J, JKMxxxN-7RL3-V-J, JKMxxxN-7RL3-J

(i) 1% in the first year; (ii) 0.4% each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 87.4% of the Nominal Power Output.

, only applicable to the following mono-crystalline Module types:

JKMxxxN-6RL3-B, JKMxxxN-6RL3-B-V, JKMxxxN-7RL3-B, JKMxxxN-7RL3-B-V, JKMxxxN-60H-MBB-B, JKMxxxN-60H-MBB-B-V, JKMxxxN-72H-MBB-B, JKMxxxN-72H-MBB-B-V, JKMxxxN-60HB, JKMxxxN-60HB-V, JKMxxxN-72HB, JKMxxxN-72HB-V, JKMxxxN-6TL4

B, JKMxxxN-6TL4-B-V, JKMxxxN-7TL4-B, JKMxxxN-7TL4-B-V, JKMxxxN-60HL4-B, JKMxxxN-60HL4-B-V, JKMxxxN-72HL4-B, JKMxxxN-72HL4-B-V, JKMxxxN-6RL4-B, JKMxxxN-6RL4-B-V, JKMxxxN-7RL4-B, JKMxxxN-7RL4-B-V, JKMxxxN-66HL4-B, JKMxxxN-66HL4-B-V, JKMxxxN-78HL4-B, JKMxxxN-78HL4-B-V, JKMxxxN-66H-MBB-B, JKMxxxN-66H-MBB-B-V, JKMxxxN-6TL3-B, JKMxxxN-6TL3-B-V

(i) 1% in the first year; (ii) 0.4% each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 87.4% of the Nominal Power Output.

only applicable to the following mono-crystalline Module types:

(a) JKMxxxM-72-DV, JKMSxxxM-72-DV, JKMxxxM-72-DV-J, JKMSxxxM-72-DV-J, JKMxxxM-72H-DV, JKMxxxM-60-DV, JKMSxxxM-60-DV, JKMxxxM-60-DV-J, JKMSxxxM-60-DV-J, JKMxxxM-60H-DV, JKMxxxM-66-DV, JKMxxxM-66H-DV, JKMxxxM-78-DV, JKMxxxM-78H-DV.

(i) 2.5% in the first year; (ii) 0.5% each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 83% of the Nominal Power Output.

(b) JKMxxxM-6RL3-DV, JKMxxxM-7RL3-DV, JKMxxxM-72HL4-DV, JKMxxxM-60HL4-DV, JKMxxxM-78HL4-DV, JKMxxxM-66HL4-DV, JKMxxxM-7TL4-DV, JKMxxxM-6TL4-DV, JKMxxxM-7RL4-DV, JKMxxxM-6RL4-DV

(i) 2.0% in the first year; (ii) 0.45% each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 84.95% of the Nominal Power Output.



, only applicable to the following mono-crystalline Bifacial Module types:

- JKMxxxN-7RL3-TV, JKMxxxN-7RL3-BDV, JKMxxxN-72H-MBB-TV, JKMxxxN-72H-MBB-BDV, JKMxxxN-6RL3-TV, JKMxxxN-6RL3-BDV, JKMxxxN-60H-MBB-BDV, JKMxxxN-60H-MBB-TV, JKMxxxN-6TL4-TV, JKMxxxN-7TL4-TV, JKMxxxN-60HL4-TV, JKMxxxN-72HL4-TV, JKMxxxN-6RL4-TV, JKMxxxN-7RL4-TV, JKMxxxN-66HL4-TV, JKMxxxN-78HL4-TV
- JKMxxxN-6TL4-BDV, JKMxxxN-7TL4-BDV, JKMxxxN-60HL4-BDV, JKMxxxN-72HL4-BDV, JKMxxxN-6RL4-BDV, JKMxxxN-7RL4-BDV, JKMxxxN-66HL4-BDV, JKMxxxN-78HL4-BDV, JKMxxxN-78HL3-BDV, JKMxxxN-78HL3-MBB-BDV, JKMxxxN-66HL3-BDV, JKMxxxN-66HL3-MBB-BDV, JKMxxxN-78HL3-TV, JKMxxxN-78HL3-MBB-TV, JKMxxxN-66HL3-TV, JKMxxxN-66HL3-MBB-TV, JKMxxxN-7RL3-TV-J JKMxxxN-6RL3-TV-J
- JKSNB-DCCA-***


(i) 1% in the first year; (ii) 0.4% each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 87.4% of the Nominal Power Output.


Notwithstanding anything to the contrary herein, the Degradation Rate for a Bifacial Module shall apply only to the front-side power output of such Bifacial Module under STC as defined below.

4. POWER DEFINITIONS. “

expressed in Watts, at Watt peak that a Module generates or, for a Bifacial Module, that the front-side of a Bifacial Module generates, at a given point in time in a year after the Warranty Start Date in its 'Maximum Power Point' under Standard Test Conditions, corrected for any measurement error (“ ”). STC are as follows, measured in accordance with IEC 61215: (a) light spectrum of AM 1.5; (b) an irradiation of 1000W per m²; and (c) a cell temperature of 25 degrees centigrade at right angle irradiation. The “ ” shall be any positive amount calculated in accordance with the following formula, expressed as a percent:

title
expressed
in
a
hv p sp 2011
m a m >6
first time





not t



incom[REDACTED]ent with the version of Jinko Installation Manual available at www.jinkosolar.com on the date the Module is manufactured. The Warranties shall not apply to any Module for which the labels thereon indicating type or serial number have been altered, removed or made illegible. The Warranties shall not apply to any Module for which full and final payment has not been received by Jinko.

8. NOTICE Any notice required



be referred to and finally resolved pursuant to the governing law clauses and dispute resolution procedures under the purchase agreement between the original purchaser and Jinko. As a condition to any obligation of